

JS030 network cabinet

Features:


- Reversible 5mm toughened glass front door
- Reversible perforated rear door
- Removable side panels with side pins, side locks are optional
- Perforated top, fan unit is optional
- Cable entries at top & bottom with adjustable sizes
- Flat packing recommend, to save shipping freight & warehouse cost, only in 2 or 3 carton boxes, easy to deliver and assemble

Specifications:

- Material: SPCC cold rolled steel
- Thickness: Post: 1.5mm; Door, Top and base: 1.2mm; Side door: 1.2mm
- Surface finishing: Degreasing, pickling, phosphoric, powder coated
- Static loading capacity: 800kgs

Standards:

- ANSI/EIA RS-310-D
- GB/T3047.2-92
- IEC60297-2
- DIN41494, PART1
- DIN41494, PART7
- Compatible with 19" International Standards, ETSI



Rear door view




Front door view



Fan-unit

JS030 network cabinet

Structure of cabinet



Main parts:

S/N	Specification	Qty	Unit	Material	Surface finishing	Remark
1	Top	1	pc	SPCC	Powder coated	---
2	Bottom	1	pc	SPCC	Powder coated	---
3	Mounting rails	4	pc	SPCC	Powder coated	---
4	Mounting angles	6	pc	SPCC	Powder coated	4pcs for 32U lower
5	Frame	2	pc	SPCC	Powder coated	---
6	Toughened glass door (6-1)	1	pc	SPCC	Powder coated	With a lock
7	Perforated rear door	1	pc	SPCC	Powder coated	With a lock
8	Removable side panels	2	pc	SPCC	Powder coated	---
9	Adjustable feet and 2" wheels	4	set	SPCC	---	---
10	Fan unit	1	pc	---	Powder coated	---
11	Cable entry	2	pc	SPCC	Powder coated	Top of cabinet

JS030 network cabinet

Specifications:

Model No.	Width (mm)	Capacity	Height (mm)	Depth (mm)
JS030-47U-600x600	600	47U	2200	600
JS030-47U-600x800				800
JS030-47U-600x1000				1000
JS030-42U-600x600		42U	2000	600
JS030-42U-600x800				800
JS030-42U-600x1000				1000
JS030-37U-600x600		37U	1800	600
JS030-37U-600x800				800
JS030-37U-600x1000				1000
JS030-32U-600x600		32U	1600	600
JS030-32U-600x800				800
JS030-32U-600x1000				1000
JS030-27U-600x600		27U	1400	600
JS030-27U-600x800				800
JS030-27U-600x1000				1000
JS030-22U-600x600		22U	1200	600
JS030-22U-600x800				800
JS030-22U-600x1000				1000
JS030-18U-600x600		18U	1000	600
JS030-18U-600x800				800
JS030-18U-600x1000				1000
JS030-47U-800x600	800	47U	2200	600
JS030-47U-800x800				800
JS030-47U-800x1000				1000
JS030-42U-800x600		42U	2000	600
JS030-42U-800x800				800
JS030-42U-800x1000				1000
JS030-37U-800x600		37U	1800	600
JS030-37U-800x800				800
JS030-37U-800x1000				1000

Color: Black